

# 43" Outdoor Digital Android Battery A-Boards



## Fully Portable

Thanks to the lightweight enclosure, rugged castors and sturdy non-foldable design this innovative display can be easily moved around by one person.



## Secure Locking Bar

Once in position the rugged castors can be locked in place with the built in locking bar. For additional security a padlock can be used to lock this in place.



IP65 Rated Enclosure



14 Hour Running Time



Android Media Player



Network Upgrade



Wide Viewing Angle



Tempered Glass Front



Locking Bar



Power Timer



Free Scheduling Software



White Version Available

## Other Features

### IP65 Rated Weatherproof Enclosure

The outer casing has an IP65 rating which means it keeps out all airborne swarf, dust and other particles as well as being protected from any wet weather conditions; broadening the range of possible environments.




### Battery Powered Display

The integrated lithium-polymer battery revolutionises the way you can use digital signage. This commercial grade slimline battery solution gives you over 14 hours running time.



### 700cd/m<sup>2</sup> IPS Panel

The high brightness LCD panel used in this display is up to three times brighter than a domestic TV making it ideal for outdoor spaces.



### Plug and Play

Plug and Play is the most straightforward way to upload content to the screen. Simply load images and videos on a USB stick, insert in the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.



### Stylish Robust Enclosure

These displays feature a tempered glass front for panel protection and a moulded polymer rear for improved portability. The display, support and castors are fixed unlike more traditional A-Boards for supreme durability.




### Charge Level Indicator

This handy indication meter tells you exactly how much charge you have left in your battery for ultimate convenience.



### Ambient Light Sensor

The display has a light sensor that changes the screen's brightness depending on the ambient light ensuring the most suitable brightness depending on the environment.



### White Version Available

As well as the classic piano black model you can also order a modern and stylish white version if required.



# Key Features

## IPS

700CD/M<sup>2</sup> IPS PANEL



TEMPERED GLASS FRONT



INTEGRATED ANDROID MEDIA PLAYER



OPTIONAL NETWORK UPGRADE



ROBUST ENCLOSURE




AMBIENT LIGHT SENSOR




PLUG AND PLAY





LOCKABLE RUGGED CASTORS



700cd/m<sup>2</sup>





HIGH BRIGHTNESS





14 Hrs

BATTERY POWERED



WEATHERPROOF IP65 RATED ENCLOSURE



AMBIENT LIGHT SENSOR



# Specification Table

		43 Inch
Panel	Resolution	1920x1080
	Display Area (mm)	531.4x943.2
	Aspect Ratio	16:9
	Brightness (cd/m <sup>2</sup> )	700
	Colour	16.7M
	Viewing Angle	178°
	Contrast Ratio	5000:1
Audio	Speaker Type	5W, 8Ω (x2)
Battery	Battery Technology	Integrated lithium polymer
	Charging Time	7 hours
	Battery Life	14 hours
	Battery Capacity	4400mAh
	Power Supply	29.4V - 21V
	Power Consumption	126W
	Energy	1108.8 Watt-hours
Mechanical	Unit Size (WxHxD mm)	1232x604.7x478
	Package Size (WxHxD mm)	1310x745x645
	Footprint (WxH mm)	604.7x478
	Net Weight (kg)	37.5
	Gross Weight (kg)	43
Environmental	Operating Temperature	0 °C to 50 °C
	Storage Temperature	-30°C to 60°C
	Operating Humidity	10% to 80%
	Storage Humidity	5% to 95%
Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
	Media Resolution	1920x1080/1080x1920
	Internal Memory	6GB
	CPU	Quad-Core Cortex-A17@1.61GHz
	GPU	Mali-T760 MP4 @600MHz
	RAM	2GB DDR3
	ROM	8GB NAND
	USB	USB2.0 HOST (x2)
	LAN	10/100M Ethernet (Network Version Only)
	Wi-Fi	802.11b/g/n/ac (Network Version Only)
	OS	Android 5.1.1
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
	Accessories	Included
Optional		Network Upgrade, Security Chain
Warranty	Warranty Period	3 Year Warranty
	Warranty Period (Battery)	3 Year Warranty*
	Technical Support	Lifetime

Errors and omissions excepted

\*Excludes degradation and user damaged caused by sulphation, deep cycling and overcharging.



