37" Ultra-Wide Stretched Bar Displays






Versatile Retail Solution

Whether being used as part of an end-aisle display or as a unique individual screen, this solution offers a versatile range of possible applications. The flexibility of portrait or landscape use and the ultra-wide aspect ratio make them the perfect accompaniment for our LCD Shelf Edge Displays.

Synchronise Multiple Displays

The multi-screen synchronisation function allows you to place multiple displays side-by-side and run attention-grabbing content seamlessly across the entire promotional endcap.







Streamlined Enclosure

Designed to maximise the impact of content, these displays feature a sleek, narrow bezel. This is especially important when placing multiple screens together. The compact design also adds to the aesthetic and reduces strain on shelf edges.



IPS Panel

Ideal for portrait use, commercial grade IPS panels guarantee incredible image quality and colour depth at an ultra-wide viewing angle in any direction without any fall-off in colour accuracy.





Multiple Media Zones

Create engaging content that utilises in text and even live webpages by sectioning the display into different media zones.



24/7 Commercial Grade

Designed for supermarkets and other retail spaces, these displays utilise a commercial grade LCD panel, LED backlight and internal components. This means they can run constantly 24/7 for over 70.000 hours.





1,000cd/m² High Brightness

Designed for brightly-lit retail spaces, these displays are sure to make your content really stand out with almost four times the brightness level of a standard domestic TV.



Built-In Android Media Player

The built-in Android media player allows you to easily update on-screen content via USB plug and play. Alternatively, upgrade your screen to be networked without needing any additional hardware to update via the internet. Third-party software can also be installed if required.



Clear HD Resolution

Unlike DV-LED stretched displays, this solution uses a full HD LCD panel to provide a clear image and fine details. This high resolution is essential to be able to read text at close proximity and also produces the best results when showing video.



Multiple Inputs

2 x USB

If you need to use the screen as a monitor, you can connect it to an external source, such as a third-party PC or media player, using the HDMI or VGA and 3.5mm audio jack inputs.







24/7 COMMERCIAL GRADE








NETWORK UPGRADE

















Colour			37 Inch
anel Aspect Ratio 32.9 anel Brightness (cd/m²) 1.000 Colour 16.7M Viewing Angle 89° Contrast Ratio 1,000:1 Wildoo HDMI, VGA Word Audio Addisoschet (3,5mm) Audio Audio Scoket (3,5mm) More Consumption (W) 36 Input Voltage DC 12V Pechanical Yes Keyler (MeHxD mm) 954.5x291.5x51.5 Mechanical Yes Keyler (MeHxD mm) TBC Met Weight (Kg) TBC TBC Fee Weight (Kg) TBC TBC Forss Weight (Kg) TBC TBC Operating Temperature O°C to 40°C O°C to 40°C Operating Humidity 10% to 85% Storage Temperature O°C to 40°C Operating Humidity 10% to 85% Storage Temperature O°C to 40°C Operating Humidity 10% to 85% Storage Temperature O°C to 40°C CECCESORIE Media Fornats Video (MPG, AVI, MPA, RM, RMVB, TS), Audio (PM3, WMA), Image (JPC, GIF, BMP, PNG)	Panel	Resolution	1920x540
anele (Color) 1,000 Color 16.7M Viewing Angle 89° Contrast Ratio 1,000-1 W Inputs Video HDMI, VGA Audio Audio Socket (3.5mm) ower Power Consumption (W) 3.6 input Voltage DC 12V Package Size (WsHxD mm) 954,5x291.5x51.5 Pechanical YESA Holes (mm) 100x100 Net Weight (Kg) TBC Gross Weight (Kg) TBC Gross Weight (Kg) TBC Operating Fundity 10% to 85% Storage Temperature 0° C to 40°C Operating Humidity 10% to 85% Storage Temperature 10° C to 60°C Operating Humidity 10% to 85% Storage Temperature 0° C to 40°C Operating Humidity 10% to 85% Storage Temperature 0° C to 40°C Operating Humidity 10% to 85% Storage Temperature 0° C to 40°C Queactoring Humidity 5% to 95% Media Formats Video		Display Area (mm)	919.3x259.55
Colour		Aspect Ratio	32:9
Viewing Angle 89° Contrast Ratio 1,000:1 Vilquits Audio Audio Socket (3,5mm) Ower Power Consumption (W) 36 Input Voltage DC 12 V		Brightness (cd/m²)	1,000
Contrast Ratio		Colour	16.7M
Vinputs Video HDMI, VGA Audio Audio Audio Socket (3.5mm) ower Power Consumption (W) 36 input Voitage DC 12V Input Voitage PS 4.5x29.1.5x51.5 Package Size (WxHxD mm) TBC VESA Holes (mm) 100x100 VESA Holes (mm) 100x100 VESA Holes (mm) 100x100 TBC TBC Gross Weight (Kg) TBC TBC TBC Storage Temperature 0°C to 40°C Operating Temperature 10°c to 60°C Operating Humidity 10% to 85% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MPA, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x540 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-Tr64 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M-10000M Ethernet (Network Version Only)		Viewing Angle	89°
Multiputs Audio		Contrast Ratio	1,000:1
Audio Audio Socket (3.5mm) ower Power Consumption (W) 36 input Voltage DC 12V Acechanical Unit Size (WxHxD mm) 954.5x291.5x51.5 Acechanical YESA Holes (mm) 100x100 Net weight (kg) TBC Gross Weight (kg) TBC Operating Temperature 0°C to 40°C Operating Temperature 10°C to 60°C Operating Humidity 10% to 85% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1220x540 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mail-1764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1	AV Inputs	Video	HDMI, VGA
Input Voltage		Audio	Audio Socket (3.5mm)
Input Voltage	Power	Power Consumption (W)	36
Mechanical Package Size (WxHxD mm) TBC Mechanical VESA Holes (mm) 100x100 Net Weight (Kg) TBC Gross Weight (Kg) TBC Operating Temperature 0°C to 40°C Storage Temperature 10°C to 60°C Operating Humidity 10% to 85% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x540 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DPR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Coccessories Included Scheduling Software, Remote Control, User Manual Varianty Warranty Period 3 Year Warra		Input Voltage	DC 12V
Mechanical Rechanical Rechanical Receivable Rechanical Receivable Rechanical Receivable Rechanical Receivable	Mechanical	Unit Size (WxHxD mm)	954.5x291.5x51.5
Net Weight (Kg) TBC Gross Weight (Kg) TBC Operating Temperature 0°C to 40°C Storage Temperature -10°C to 60°C Operating Humidity 10% to 85% Storage Humidity 5% to 95% Media Pesolution 1920x540 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Cccessories Included Scheduling Software, Remote Control, User Manual Varranty Warranty Period 3 Year Warranty		Package Size (WxHxD mm)	TBC
Fig. Fig. Fig. Fig. Fig. Fig.		VESA Holes (mm)	100x100
Operating Temperature		Net Weight (Kg)	TBC
Storage Temperature		Gross Weight (Kg)	TBC
Invironmental Exercises Province Operating Humidity 10% to 85% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x540 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty	Environmental	Operating Temperature	0°C to 40°C
Operating Humidity 10% to 85% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x540 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand		Storage Temperature	-10°C to 60°C
Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)		Operating Humidity	10% to 85%
Media Resolution CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage Internal Storage INSB Internal Storage Internal Sto		Storage Humidity	5% to 95%
CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 CCCCSSORIES Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand	Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty Warranty		Media Resolution	1920x540
RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty		CPU	Quad-Core ARM Cortex A17, 1.6GHz
Internal Storage USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty		GPU	Quad-Core ARM Mali-T764
USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty		RAM	DDR3 2GB
USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty		Internal Storage	8GB eMMC
Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty		USB	1 x USB (OTG/HOST), 1 x USB (HOST)
Bluetooth 4.0 OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Varranty		LAN	100M/1000M Ethernet (Network Version Only)
OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Varranty OS Android 7.1 OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand 3 Year Warranty		Wi-Fi	802.11b/g/n/ac (Network Version Only)
Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Period 3 Year Warranty		Bluetooth	Bluetooth 4.0
Included Scheduling Software, Remote Control, User Manual Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Varranty		OS	Android 7.1
Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Period 3 Year Warranty		Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Optional Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Period 3 Year Warranty Varranty	Accessories	Included	Scheduling Software, Remote Control, User Manual
Varranty		Optional	Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand
Technical Support Lifetime	Warranty	Warranty Period	3 Year Warranty
		Technical Support	Lifetime



