Yealink

eclipse digital

MVC500 II Microsoft Teams Rooms System

Microsoft Teams Rooms System for Small and Medium Room

Yealink MVC II series are native and easy-to-use video conferencing solutions specially designed for Microsoft Teams rooms. The MVC II series provides a full-scene video conference solution to cover all of the meeting rooms from large to small. According to the unique characteristics of the video conferencing room, a high-performance mini-PC is specially released. In the design of mini-PC, it takes into account both aesthetics and practicability, that fully integrating the cable management with itself to provide a flexible and reliable deployment solution for any meeting room. The MVC II series features the native Microsoft Teams-tailored user interface that is easy to be operated with close-to-zero learning curve, and you just walk into the meeting room and start your scheduled Teams or Skype for Business meeting with one-touch join. Yealink MVC500 II includes two CPW90 wireless microphones and a UVC50 USB PTZ camera with 91 ° field of view and 5x optical zoom to meet the requirements of small to medium meeting rooms. Optional, users can replace two CPW90s with one VCM34 wired microphone.



Key Features and Benefits

Native Microsoft Teams-tailored user interface, smooth conference experience

Native Microsoft Teams-tailored user interface offers a one-touch meeting join. Designed with the idea of multi-function all-in-one, the MTouch II touch panel allows you easily perform call control, camera control, content sharing and other functions. At the same time, MTouch II has a built-in Human Motion Sensor that the conference system can be automatically waken up and you can immediately start the conference.

Auto-framing & smart noise proof technology

Yealink UVC50 camera allows for the auto-framing of all participants present at a meeting, freeing your hands and focusing on the meeting itself. Meanwhile, with the Yealink camera control plug-in and camera presets supported, the mechanical pan, tilt and zoom can be easily done quietly in one step. Empowered with 91° field of view and 5x optical zoom, UVC50 supports 1080P / 60-frame video calls that conducts business to capture everyone in the meeting room. As for the audio, the CPW90 wireless microphone works with Yealink Soundbar together to guarantee you a high-quality audio solution. Also, Yealink Noise Proof technology effectively eliminates background distractions and noises that you can enjoy a crystal-clear voice even in a noisy environment.

Content sharing in real time

The unique wireless content sharing solution provides participants with maximum flexibility, that a one-click content sharing can be simply realized by plugging into the WPP20 only. With a high resolution of 1080P / 30 frames, it provides users with a better content sharing experience. Besides, the wired content sharing is also available by connecting to the USB-C port or HDMI port.

Simple to deploy, easy to use

With the VCH port, MCore is specially designed for the video meeting rooms that the deployment can be easily extended. At the same time, its all-in-one design with the feature of cable management ensure the stability of the wire connection, and the most appropriate deployment can be achieved according to the layout of the meeting room. One CAT5e is totally enough to connect the TV area and the conference table area and to complete the data transmission and power supply, no additional power supply or extension cable is needed, which not only simplifying the deployment but also effectively reducing deployment costs.

Manage your devices remotely

This solution supports Yealink Device Management Platform/Cloud Service, you can flawlessly manage, monitor, configure, update and diagnose all Yealink audio and video devices peripherals on this platform remotely.

Yealink

Package Content

- MCore Mini-PC
- MTouch II touch panel
- UVC50 USB PTZ camera
- 2 × CPW90 wireless microphones
- Yealink soundbar
- WPP20 wireless presentation pod (optional)

Preload

- Windows 10 IoT Enterprise X64
- Windows 10 IoT Enterprise License
- Microsoft Teams Rooms App, support Skype for Business on-premise/online and Teams meetings
 Yeallink RoomConnect

Scene Graph in a Conference Room

MCore Mini-PC

- 8th-gen Intel® QUAD-CORE i5
- Memory: 8GB (2 x 4GB)
- Storage: 128GB SSD
- 2 x HDMI video output with CEC supported
- Bluetooth and Wi-Fi
- 1x Yealink VCH port, connect to MTouch II
- 4 x USB3.0 Type-A
- 1 x 10/100/1000M Ethernet port
- 1 x Power port
- 1 x Security lock slot
- Built-in cable management

MTouch II touch panel

- 8-inch IPS screen
- 1280 x 800 resolution
- 10-point capacitive touch screen
- 3.5mm headset jack
- Human Motion Sensor
- Angle adjustable bracket (28° ~ 50°)
- 1080P/30FPS FHD for sharing
- Support wired and wireless content sharing
- Built-in Wi-Fi AP for Yealink wireless presentation device
- HDMI/USB-C video input

UVC50 USB PTZ Camera

- 1920 x 1080 video resolution
- 60 frame rate
- 5x optical zoom
- Field of view (diagonal): 91°
- Auto-framing
- Camera presets
- Pan range: 60°
- Tilt range: 40°
- 1 x Line-in (3.5mm)
- 1 x Line-out (3.5mm)
- 1 x Yealink Microphone port (RJ-45)
- 1 x USB 2.0 Type-B
- 1 x USB 2.0 Type-A
- 1 x Power port
- 1 x Security lock slot
- 1 x Reset slot

CPW90 Wireless Microphones

- DECT technology, up to 50 meters distance
- 10ft (3-meter) voice pickup range of every
- microphone unit
- Supports up to 4 wireless microphone units
- Built-in Li-battery, 11 days standby, 19 hours talking time
- Charging cradle, charging any time

VCM34 Array Microphone

- Built-in 3-microphone array
- 360° 20ft (6-meter) voice pickup range
- Cascade connection up to 4 units
- Mute button with bicolor LED

Yealink Soundbar

- Frequent response: 100Hz 20KHz
- S/N: ≥70dB
- 1 x Line-in (3.5mm)

Package Features

- N.W/CTN: 9Kg
- G.W/CTN: 11Kg
- Carton Meas: 600mm x 545mm x 285mm







Specifications



Connection



- When starting up the system for the first time, you need to connect a mouse to complete the initial configuration. We recommend using the wireless mouse and keyboard kit.
- For more information about the installation and deleployment of accessories (for example, the installation of **MCore** package or the UVC50 camera), refer to the Quick Start Guide of corresponding accessory.

