

Android Freestanding Digital Posters

50" | 55"



Show-stopping digital advertising totems with giant tablet styling

Giant Freestanding Tablet

The tempered glass face, rounded corners, super slim perceived depth, aluminium surround and narrow border around the screen give a captivating tablet-like aesthetic. They also protect the internal components from potential damage in public spaces.



Integrated Android Media Player

The built-in Android media player allows you to easily run and update on-screen content via a website, our own online CMS platform or any other compatible third-party software.



24/7 Commercial Use



Internal Locker/AV Inputs



450cd/m² IPS Panel



Lightweight Design



Integrated Castors



Free Scheduling Software



Low Power Consumption



3-Year Warranty



Lifetime Tech Support



Black Version Available

Internal Locker

Having a lockable compartment in the rear of the display with space to fit a small PC or media player means running the screen from an external source is easy – simply use the HDMI or VGA and 5mm audio inputs. This device can be powered from inside the locker with no need for additional power cables.



450cd/m² IPS Panel

Commercial grade IPS technology ensures incredible image quality and colour depth with no fall-off in colour accuracy, as well as achieving ultimate lifelike colour from an ultra-wide viewing angle in portrait orientation.



24/7 Commercial Grade

Designed for continuous use in public spaces, these displays utilise commercial grade LCD panels, LED backlights and internal components. This means they can run 24/7 for over 70,000 hours. To avoid tampering, they also have no external buttons or controls.



Easy Manoeuvrability

Thanks to the lightweight design, integrated castors and recessed rear handles, these displays offer a portable solution that can be easily moved around. For more permanent installations, the retractable feet can be used to keep the display in place.





Built-In Speakers

Take your digital signage solution to the next level by adding an audio element using the two integrated slimline speakers.



Free Scheduling Software

These displays come with free scheduling software for displaying different content at different times of the day. If you prefer to keep it simple you can update the screen directly without using the software.



Power Timer

The eco-friendly power timer allows you to assign daily or weekly on and off times for your screen meaning that it is only in use when it needs to be; improving your environmental efficiency.



Black Version Available

Although the standard white model offers a clean, modern aesthetic, if you're after a more classic look there is also a piano black version available upon request.



IPS

450CD/M² IPS PANEL




LIGHTWEIGHT DESIGN



EDGE-TO-EDGE TEMPERED GLASS



SPACE FOR LOGO



INTEGRATED CASTORS






USB PLUG AND PLAY



24/7 COMMERCIAL USE



OPTIONAL NETWORK UPGRADE



		50 inch	55 inch
Panel	Resolution	1080x1920	
	Display Area (mm)	603x1072	681.4x1210.6
	Aspect Ratio	16:9	
	Brightness (cd/m ²)	450	
	Colour	16.7M	
	Viewing Angle	178°	
	Contrast Ratio	5000:1	
Audio	Speaker Type	10W, 4Ω (x2)	
AV Inputs	Video	HDMI, VGA	
	Audio Input	Audio Socket (3.5mm)	
	Audio Output	Audio Socket (3.5mm)	
Power	Power Consumption (W)	>115	>155
	Input Voltage	AC110~240V (50Hz~60Hz)	
Mechanical	Unit Size (WxHxD mm)	1843.1x665.6x41.2	1911.5x744x41.2
	Package Size (WxHxD mm)	1968.1x880.6x270	2035x961x270
	Footprint (WxD)	665.6x500	744x500
	Net Weight (kg)	58	69.5
	Gross Weight (kg)	78	93
	Environmental	Operating Temperature	0 °C to 40 °C
Storage Temperature		-10°C to 55°C	
Operating Humidity		10% to 80%	
Storage Humidity		10% to 80%	
Computer	CPU	Quad-Core ARM Cortex A17, 1.6GHz	
	GPU	Quad-Core ARM Mali-T764	
	RAM	DDR3 2GB	
	Internal Storage	8GB eMMC	
	USB	1 x USB (OTG/HOST), 1 x USB (HOST)	
	LAN	100M/1000M Ethernet	
	Wi-Fi	802.11b/g/n/ac	
	Bluetooth	Bluetooth 4.2	
	OS	Android 7.1	
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1	
Other	No accessible buttons or controls		
Accessories	Included	Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial	
Warranty	Warranty Period	3 Year Warranty	
	Technical Support	Lifetime	

Errors and omissions excepted

